

64748XS 1000W 230V

Halogen (> 130 V) Single End | Offering a broad portfolio of high quality single end halogen lamps used in the stage and studio markets



Areas of application

- Stage & Theatre
- Studio, TV, & Film
- Professional Photography
- Club & Disco

Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable to 0% with traditional amber shift



Technical data

General Product Information

Product number (Americas)	55037
Product name (Americas)	64748 XS 1000W 230V 12/CS 1/SKU
ANSI code	-
LIF code	-
Global order reference	64748 XS 1000W

Electrical Data

Nominal wattage	1000 W
Nominal voltage	230 V

Photometric Data

Nominal luminous flux	25000 lm
Useful luminous flux (Φ_{use})	21395 lm
Φ_{use} value refers to luminous flux	360
Color temperature	3200 K
Correlated color temperature CCT	3141 K
Chromaticity coordinate x	0.427
Chromaticity coordinate y	0.400
Color rendering index Ra	100

Physical Attributes & Dimensions

Lamp base	GY9.5
Diameter	22.2 mm
Diameter	22.2 mm
Length	95.0 mm
Filament	C13-D
Product weight	31.50 g

Operating Conditions

Burning position	S180
Dimmable	Yes

Lifetime Data

Nominal lifetime	250 hr
------------------	--------

Environmental & Regulatory Information

Product datasheet

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4052899545366
Energy efficiency class	G
Declaration no. in SCIP database	No declarable substances contained
Candidate list substance 1	No declarable substances contained

Product datasheet

Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899545366	64748XS 1000W 230V	Folding carton box 1	40 mm x 40 mm x 128 mm	0.20 dm ³	54.00 g
4052899545373	64748XS 1000W 230V	Shipping carton box 12	177 mm x 136 mm x 152 mm	3.70 dm ³	854.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.