

Blacklight BL368 Compact Lynx-L 18W BL368 0025268



#### **Product features**

 These BL368 tubes emit an upgraded highly concentrated radiation with peak around 368nm. Flying insect - eye sensitivity is generally at or near this frequency100% improvement in effectiveness (at 368nm)Depreciation of UV-A output over time is significantly reduced (80% at 5000hrs of original 100 hour output)



#### NOTES

#### undefined

#### PRODUCT OVERVIEW

Product name	Lynx-L 18W BL368
Technology	Special applications
Туре	Compact
Cap/Base	2G11
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	SPG
ETIM Class	EC002962
E-number FI	4940702
Light colour	BL368 Blacklight
Wattage (W)	18
Dimmable	No
Dimming method	N/A
Average life (Nominal) (h)	15000
Product EAN number	5410288252681

#### DATA TABLE

General data	
Product name	Lynx-L 18W BL368
Technology	Special applications
Туре	Compact
Cap/Base	2G11

# **SYLVANIA**

# Blacklight BL368 Compact Lynx-L 18W BL368 0025268

Light colour     BL368 Blacklight       Adjustable chromaticity     N		
General application         SPG           Operating temperature range (°C)         -15°C+50°C           ETIM Class         EC002962           E-number FI         4940702           Optical data            Light colour         BL368 Blacklight           Adjustable chromaticity         N           Electrical data            Wattage (W)         18           Mains voltage (V)         230-240V           Control gear required         Yes           Transformer required         No           Dimmable         No           Dimmating method         N/A           Lifetime data            Average life (Nominal) (h)         15000           Physical data            Nominal Product Height (mm)         215           Nominal Product Diameter (mm)         44           Weight (kg)         0.058           Packaging single width (cm)         45.028           Packaging single single packaging type         Carton           Product EAN number         54.10288252681           Packaging single width (cm)         4.63           Packaging single width (cm)         4.63           Packaging single width (cm)         8.6		Frosted/Coated
Operating temperature range (*C)-15*C+50*CETIM ClassEC002962Enumber FI4940702Optical dataLight colourBL368 BlacklightAdjustable chromaticityNElectrical dataWattage (W)18Mains voltage (V)230-240VControl gear requiredYesTransformer requiredNoDimmableNoDimming methodN/ALifetime dataAverage life (Nominal) (h)15000Physical dataNominal Product Height (mm)215Nominal Product Diameter (mm)44Weight (kg)0.058Packaging single depth (cm)24.53Packaging single ength / height (cm)24.53Packaging single depth (cm)24.53Packaging single ength / height (cm)25.2Units per outer package10Packaging outer length / height (cm)26.2Packaging outer length / height (cm)3.8Safety dataChrome per time condition (*C)-15-50Packaging outer length / height (cm)3.8Safety dataControl operating condition (*C)-15-50Packaging outer length / height (cm)3.8Safety dataControl operating condition (*C)-15-50Packaging outer length / height (cm)3.8Safety dataControl operating condition (*C)-15-50Packaging outer length / height (cm)3.8S		
TIM ClassEC002962E-number FI4940702Optical dataLight colourBL368 BlacklightAdjustable chromaticityNMains voltage (W)18Mains voltage (V)230-240VControl gear requiredYesTransformer requiredNoDimmableNoDimmableNoDimmableNoDimmableNoPhysical dataNominal Product Height (mm)215Nominal Product Height (mm)44Weight (kg)0.058Packaging single length / height (cm)2.453Packaging single depth (cm)2.77DUNIt4 (outer)1510028252681Packaging single depth (cm)2.77DUNIt4 (outer)1541028825688Packaging single depth (cm)2.62Packaging single depth (cm)2.62Packaging outer width (cm)4.63Packaging outer package10Packaging outer package10Packaging outer width (cm)3.8Safety data		
E-number FI     4940702       Optical data        Light colour     BL368 Blacklight       Adjustable chromaticity     N       Electrical data        Wattage (W)     18       Mains voltage (V)     230-240V       Control gear required     Yes       Transformer required     No       Dimmable     No       Dimmable     No       Average life (Nominal) (h)     15000       Physical data        Nominal Product Height (mm)     215       Nominal Product Diameter (mm)     44       Weight (kg)     0.058       Packaging        Single packaging type     Carton       Product EAN number     541028825681       Packaging single length / height (cm)     24.53       Packaging single length / height (cm)     26.2       Packaging single dength (height (cm)     3.8       Units per outer package     10       Packaging outer length / height (cm)     3.8       Packaging outer denth (cm)     9.8       Safety data		-15°C+50°C
Optical data         Electrical cancel           Light colour         BL368 Blacklight           Adjustable chromaticity         N           Electrical data         Wattage (W)           Wattage (W)         18           Mains voltage (V)         230-240V           Control gear required         Yes           Transformer required         No           Dimmable         No           Dimmating method         N/A           Lifetime data	ETIM Class	EC002962
Light colourBL368 BlacklightAdjustable chromaticityNElectrical dataWattage (W)18Mains voltage (V)230-240VControl gear requiredYesTransforme requiredNoDimmableNoDimmableNoDimmableNoDimmableS000Physical dataS000Physical data215Nominal Product Height (mm)215Nominal Product Diameter (mm)44Weight (kg)0.058PackagingSalage Salage	E-number FI	4940702
Light colourBL368 BlacklightAdjustable chromaticityNElectrical dataWattage (W)18Mains voltage (V)230-240VControl gear requiredYesTransforme requiredNoDimmableNoDimmableNoDimmableNoDimmableS000Physical dataS000Physical data215Nominal Product Height (mm)215Nominal Product Diameter (mm)44Weight (kg)0.058PackagingSalage Salage		
Adjustable chromaticityNElectrical dataWattage (W)18Mains voltage (V)230-240VControl gear requiredYesTransformer requiredNoDimmableNoDimmableNoDimmableNoDimmableNoDimmableNoLifetime dataAverage life (Nominal) (h)15000Physical dataNominal Product Height (mm)215Nominal Product Diameter (mm)44Weight (kg)0.058PackagingSingle packaging typeCartonPackaging single length / height (cm)24.53Packaging single length / height (cm)24.53Packaging single depth (cm)24.53Packaging single depth (cm)26.2Packaging outer length / height (cm)26.2Packaging outer l	Optical data	
Adjustable chromaticityNElectrical dataWattage (W)18Mains voltage (V)230-240VControl gear requiredYesTransformer requiredNoDimmableNoDimmableNoDimmableNoDimmableNoDimmableNoLifetime dataAverage life (Nominal) (h)15000Physical dataNominal Product Height (mm)215Nominal Product Diameter (mm)44Weight (kg)0.058PackagingSingle packaging typeCartonPackaging single length / height (cm)24.53Packaging single length / height (cm)24.53Packaging single depth (cm)24.53Packaging single depth (cm)26.2Packaging outer length / height (cm)26.2Packaging outer l	Light colour	BL368 Blacklight
Electrical data Wattage (W) 18 Mains voltage (V) 230-240V Control gear required Yes Transformer required No Dimmable No Dimmable No Dimmable No Dimming method N/A Lifetime data Average life (Nominal) (h) 15000 Physical data Nominal Product Height (mm) 215 Nominal Product Diameter (mm) 44 Weight (kg) 0.058 Packaging Single packaging type Carton Product EAN number S410288252681 Packaging single length / height (cm) 44.3 Packaging single length / height (cm) 2.77 DUN14 (outer) 15410288252688 Units per outer package 10 Packaging souter length / height (cm) 2.77 DUN14 (outer) 15410288252688 Units per outer package 10 Packaging outer length / height (cm) 2.77 DUN14 (outer) 15410288252688 Units per outer package 10 Packaging outer length / height (cm) 2.77 DUN14 (outer) 15410288252688 Units per outer package 10 Packaging outer length / height (cm) 2.77 DUN14 (outer) 1541028252688 Units per outer package 10 Packaging outer length / height (cm) 2.77 DUN14 (outer) 1541028252688 Units per outer package 10 Packaging outer length / height (cm) 2.77 DUN14 (outer) 1541028252688 Units per outer package 10 Packaging outer length / height (cm) 2.77 DUN14 (outer) 1541028252688 Units per outer package 10 Packaging outer length / height (cm) 2.77 DUN14 (outer) 1541028252688 Units per outer package 10 Packaging outer length / height (cm) 2.77 DUN14 (outer) 1541028252688 Units per outer package 10 Packaging outer length / height (cm) 2.77 DUN14 (outer) 1541028252688 Units per outer package 10 Packaging outer length / height (cm) 2.77 Packaging outer length / height (cm) 2.77 DUN14 (outer) 2.77 DUN14 (oute	-	_
Wattage (W)18Mains voltage (V)230-240VControl gear requiredYesTransformer requiredNoDinmableNoDinmableNoAverage life (Nominal) (h)15000Physical dataNominal Product Height (mm)215Nominal Product Diameter (mm)44Weight (kg)0.058PackagingCertonProduct EAN number5410288252681Packaging single length / height (cm)2.63Packaging single depth (cm)2.77DUN14 (outer)15410288252688Units per outer package10Packaging outer length / height (cm)26.2Packaging outer length / height (cm)3.8Safety dataContin Product Diameter (mm)4.61Packaging single depth (cm)2.77DuN14 (outer)15410288252688Units per outer package10Packaging outer length / height (cm)3.8Safety dataCoptinal operating condition (°C)-15-50Breakage cleaning instructionsApplicableRecommendation for disposal at end of lifeApplicableSpecial purpose lampYesIntended purposeFlykilling - Insect attractionSuitable for household illuminationNo		
Mains voltage (V)230-240VControl gear requiredYesTransformer requiredNoDimmableNoDimmableN/ALifetime data	Electrical data	
Mains voltage (V)230-240VControl gear requiredYesTransformer requiredNoDimmableNoDimmableN/ALifetime data	Wattage (W)	18
Control gear requiredYesTransformer requiredNoDimmableNoDimming methodN/ALifetime data		
Transformer requiredNoDinmableNoDinmableNoDinming methodN/ALifetime dataIso00Average life (Nominal) (h)15000Physical dataVNominal Product Height (mm)215Nominal Product Height (mm)44Weight (kg)0.058PackagingVSingle packaging typeCartonPackaging215Double to the packaging single length / height (cm)24.53Packaging single length / height (cm)24.53Packaging single depth (cm)2.77DUN14 (outer)154.10288252688Units per outer package10Packaging outer length / height (cm)26.2Packaging outer depth (cm)2.73DUN14 (outer)154.10288252688Units per outer package20.5Safety data20.5Selety data20.5Optimal operating condition (°C)15-50Breakage cleaning instructionsApplicableGreanendation for disposal at end of lifeApplicableSpecial purpose lampYesIteneded purposeFlykilling - Insect attractionSuitable for household illuminationNo		
DimmableNoDimming methodN/ADimming methodN/ALifetime dataIso00Average life (Nominal) (h)15000Physical dataIso00Nominal Product Height (mm)215Nominal Product Diameter (mm)44Weight (kg)0.058PackagingCartonProduct EAN number541028852681Packaging single length / height (cm)24.53Packaging single width (cm)4.63Packaging single depth (cm)2.77DUN14 (outer)15410288252688Units per outer package10Packaging outer length / height (cm)26.2Packaging outer length / height (cm)2.63Packaging outer length / height (cm)2.77DUN14 (outer)15410288252688Units per outer package10Packaging outer length / height (cm)2.62Packaging outer length / height (cm)2.63Packaging outer length / height (cm)2.61Packaging outer length / height (cm)2.77DUN14 (outer)15410288252688Units per outer package10Packaging outer length (cm)2.63Packaging outer length / height (cm)2.63Packaging outer length / height (cm)2.63Packaging outer length (cm)2.62Packaging outer length / height (cm)2.63Packaging outer length / height (cm)2.63Packaging outer length (cm)4.63Packaging outer length (cm)4.63Packaging outer length (cm)<		
Dimming method         N/A           Lifetime data	-	
Lifetime data Average life (Nominal) (h) 15000 Physical data Nominal Product Height (mm) 215 Nominal Product Diameter (mm) 44 Weight (kg) 0.058 Packaging Single packaging type Carton Product EAN number 5410288252681 Packaging single length / height (cm) 24.53 Packaging single length / height (cm) 2.77 Packaging single depth (cm) 2.77 DUN14 (outer) 15410288252688 Units per outer package 10 Packaging outer length / height (cm) 26.2 Packaging outer length / height (cm) 38. Safety data Optimal operating condition (°C) -15-50 Breakage cleaning instructions Applicable Recommendation for disposal at end of life Special purpose lamp Yes Intended purpose [Flykilling - Insect attraction] Suitable for household illumination No		
Average life (Nominal) (h)15000Physical dataNominal Product Height (mm)215Nominal Product Diameter (mm)44Weight (kg)0.058PackagingSingle packaging typeCartonProduct EAN number5410288252681Packaging single length / height (cm)24.53Packaging single length / height (cm)27.77DuN14 (outer)15410288252688Units per outer package10Packaging outer length / height (cm)26.2Packaging outer length / height (cm)38.Safety data	Diming model	
Average life (Nominal) (h)15000Physical dataNominal Product Height (mm)215Nominal Product Diameter (mm)44Weight (kg)0.058PackagingSingle packaging typeCartonProduct EAN number5410288252681Packaging single length / height (cm)24.53Packaging single length / height (cm)27.77DuN14 (outer)15410288252688Units per outer package10Packaging outer length / height (cm)26.2Packaging outer length / height (cm)38.Safety data	Lifetime data	
Physical data         Nominal Product Height (mm)       215         Nominal Product Diameter (mm)       44         Weight (kg)       0.058         Packaging       0.058         Packaging       Carton         Product EAN number       5410288252681         Packaging single length / height (cm)       24.53         Packaging single length / height (cm)       24.53         Packaging single depth (cm)       2.77         DUN14 (outer)       15410288252688         Units per outer package       10         Packaging outer length / height (cm)       26.2         Packaging outer depth (cm)       9.8         Safety data       Safety data         Optimal operating condition (°C)       -15-50         Breakage cleaning instructions       Applicable         Recommendation for disposal at end of life       Applicable         Special purpose lamp       Yes         Intended purpose       Flykilling - Insect attraction         Suitable for household illumination       No		15000
Nominal Product Height (mm)215Nominal Product Diameter (mm)44Weight (kg)0.058PackagingCartonProduct EAN number5410288252681Packaging single length / height (cm)24.53Packaging single depth (cm)2.77DuN14 (outer)15410288252688Units per outer package10Packaging outer width (cm)26.2Packaging outer width (cm)9.8Safety data9.8Optimal operating condition (°C)-15-50Package cleaning instructionsApplicableRecommendation for disposal at end of lifeApplicableSpecial purpose lampYesIntended purposeFlykilling - Insect attractionNoNo	Average life (Nominal) (II)	15000
Nominal Product Height (mm)215Nominal Product Diameter (mm)44Weight (kg)0.058PackagingCartonProduct EAN number5410288252681Packaging single length / height (cm)24.53Packaging single depth (cm)2.77DuN14 (outer)15410288252688Units per outer package10Packaging outer width (cm)26.2Packaging outer width (cm)9.8Safety data9.8Optimal operating condition (°C)-15-50Package cleaning instructionsApplicableRecommendation for disposal at end of lifeApplicableSpecial purpose lampYesIntended purposeFlykilling - Insect attractionNoNo	Physical data	
Nominal Product Diameter (mm)44Weight (kg)0.058Packaging0.058PackagingCartonProduct EAN number5410288252681Packaging single length / height (cm)24.53Packaging single depth (cm)2.77DUN14 (outer)15410288252688Units per outer package10Packaging outer length / height (cm)26.2Packaging outer length / height (cm)9.8Safety dataOptimal operating condition (°C)Optimal operating condition (°C)-15-50Breakage cleaning instructionsApplicableRecommendation for disposal at end of ifeYesIntended purpose lampYesSuitable for household illuminationNo	•	215
Weight (kg)0.058PackagingSingle packaging typeCartonProduct EAN number5410288252681Packaging single length / height (cm)24.53Packaging single width (cm)4.63Packaging single depth (cm)2.77DUN14 (outer)15410288252688Units per outer package10Packaging outer length / height (cm)26.2Packaging outer width (cm)14.0Packaging outer depth (cm)9.8Safety dataOptimal operating condition (°C)-15-50Breakage cleaning instructionsApplicableRecommendation for disposal at end of lifeYesSpecial purpose lampYesIntended purposeFlykilling - Insect attractionSuitable for household illuminationNo		
PackagingSingle packaging typeCartonProduct EAN number5410288252681Packaging single length / height (cm)24.53Packaging single width (cm)4.63Packaging single depth (cm)2.77DUN14 (outer)15410288252688Units per outer package10Packaging outer length / height (cm)26.2Packaging outer width (cm)14.0Packaging outer depth (cm)9.8Safety dataOptimal operating condition (°C)Optimal operating condition (°C)-15-50Breakage cleaning instructionsApplicableRecommendation for disposal at end of lifeApplicableSpecial purpose lampYesIntended purposeFlykilling - Insect attractionSuitable for household illuminationNo		
Single packaging typeCartonProduct EAN number5410288252681Packaging single length / height (cm)24.53Packaging single width (cm)4.63Packaging single depth (cm)2.77DUN14 (outer)15410288252688Units per outer package10Packaging outer length / height (cm)26.2Packaging outer width (cm)14.0Packaging outer depth (cm)9.8Safety data-15-50Demendation for disposal at end of lifeApplicableRecommendation for disposal at end of lifeApplicableSuitable for household illuminationNo	weight (kg)	0.058
Single packaging typeCartonProduct EAN number5410288252681Packaging single length / height (cm)24.53Packaging single width (cm)4.63Packaging single depth (cm)2.77DUN14 (outer)15410288252688Units per outer package10Packaging outer length / height (cm)26.2Packaging outer width (cm)14.0Packaging outer depth (cm)9.8Safety data-15-50Demendation for disposal at end of lifeApplicableRecommendation for disposal at end of lifeApplicableSuitable for household illuminationNo	Packaging	
Product EAN number5410288252681Packaging single length / height (cm)24.53Packaging single width (cm)4.63Packaging single depth (cm)2.77DUN14 (outer)15410288252688Units per outer package10Packaging outer length / height (cm)26.2Packaging outer width (cm)14.0Packaging outer depth (cm)9.8Safety dataSafety dataOptimal operating condition (°C)-15-50Breakage cleaning instructionsApplicableRecommendation for disposal at end of lifeYesSpecial purpose lampYesIntended purposeFlykilling - Insect attractionSuitable for household illuminationNo		Cartan
Packaging single length / height (cm)24.53Packaging single width (cm)4.63Packaging single depth (cm)2.77DUN14 (outer)15410288252688Units per outer package10Packaging outer length / height (cm)26.2Packaging outer width (cm)14.0Packaging outer depth (cm)9.8Safety dataSafety dataOptimal operating condition (°C)-15-50Breakage cleaning instructionsApplicableRecommendation for disposal at end of lifeApplicableSpecial purpose lampYesIntended purposeFlykilling - Insect attractionSuitable for household illuminationNo		
Packaging single width (cm)4.63Packaging single depth (cm)2.77DUN14 (outer)15410288252688Units per outer package10Packaging outer length / height (cm)26.2Packaging outer width (cm)14.0Packaging outer depth (cm)9.8Safety data		
Packaging single depth (cm)2.77DUN14 (outer)15410288252688Units per outer package10Packaging outer length / height (cm)26.2Packaging outer width (cm)14.0Packaging outer depth (cm)9.8Safety data		
DUN14 (outer)15410288252688Units per outer package10Packaging outer length / height (cm)26.2Packaging outer width (cm)14.0Packaging outer depth (cm)9.8Safety data-15-50Optimal operating condition (°C)-15-50Breakage cleaning instructionsApplicableRecommendation for disposal at end of lifeYesSpecial purpose lampYesIntended purposeFlykilling - Insect attractionSuitable for household illuminationNo		
Units per outer package10Packaging outer length / height (cm)26.2Packaging outer width (cm)14.0Packaging outer depth (cm)9.8Safety data-15-50Optimal operating condition (°C)-15-50Breakage cleaning instructionsApplicableRecommendation for disposal at end of lifeYesSpecial purpose lampYesIntended purposeFlykilling - Insect attractionSuitable for household illuminationNo		
Packaging outer length / height (cm)26.2Packaging outer width (cm)14.0Packaging outer depth (cm)9.8Safety data-Optimal operating condition (°C)-15-50Breakage cleaning instructionsApplicableRecommendation for disposal at end of lifeApplicableSpecial purpose lampYesIntended purposeFlykilling - Insect attractionSuitable for household illuminationNo	. ,	
Packaging outer width (cm)     14.0       Packaging outer depth (cm)     9.8       Safety data     -15-50       Optimal operating condition (°C)     -15-50       Breakage cleaning instructions     Applicable       Recommendation for disposal at end of life     Applicable       Special purpose lamp     Yes       Intended purpose     Flykilling - Insect attraction       Suitable for household illumination     No		
Packaging outer depth (cm)       9.8         Safety data       -15-50         Optimal operating condition (°C)       -15-50         Breakage cleaning instructions       Applicable         Recommendation for disposal at end of life       Applicable         Special purpose lamp       Yes         Intended purpose       Flykilling - Insect attraction         Suitable for household illumination       No		
Safety data       -15-50         Optimal operating condition (°C)       -15-50         Breakage cleaning instructions       Applicable         Recommendation for disposal at end of life       Applicable         Special purpose lamp       Yes         Intended purpose       Flykilling - Insect attraction         Suitable for household illumination       No		
Optimal operating condition (°C)     -15-50       Breakage cleaning instructions     Applicable       Recommendation for disposal at end of life     Applicable       Special purpose lamp     Yes       Intended purpose     Flykilling - Insect attraction       Suitable for household illumination     No	Packaging outer depth (CM)	9.0
Optimal operating condition (°C)     -15-50       Breakage cleaning instructions     Applicable       Recommendation for disposal at end of life     Applicable       Special purpose lamp     Yes       Intended purpose     Flykilling - Insect attraction       Suitable for household illumination     No	Safety data	
Breakage cleaning instructions     Applicable       Recommendation for disposal at end of life     Applicable       Special purpose lamp     Yes       Intended purpose     Flykilling - Insect attraction       Suitable for household illumination     No		
Recommendation for disposal at end of life       Applicable         Special purpose lamp       Yes         Intended purpose       Flykilling - Insect attraction         Suitable for household illumination       No		
life     Yes       Special purpose lamp     Yes       Intended purpose     Flykilling - Insect attraction       Suitable for household illumination     No		
Special purpose lampYesIntended purposeFlykilling - Insect attractionSuitable for household illuminationNo		Аррисаріе
Intended purpose         Flykilling - Insect attraction           Suitable for household illumination         No		Vos
Suitable for household illumination No		
	Calery message	



## Blacklight BL368 Compact Lynx-L 18W BL368 0025268

### **TECHNICAL DRAWINGS**

