

Техническое описание продукта ST 171 SAFETY DEOS

Стартеры для одиночной схемы включения 230 В AC




Техническое описание продукта

Technical data

Электрические параметры

ZLDV_Nominal voltage [AGGR]	220...240 V
ZLDV_Nominal wattage [AGGR]	65.00 W
ZLDV_Mains frequency [AGGR]	50...60 Hz

Размеры и вес



ZLDV_Length [AGGR]	40.3 mm
ZLDV_Product weight [AGGR]	8.64 g
ZLDV_Overall length [AGGR]	40.30 mm
ZLDV_Diameter [AGGR]	21.5 mm

Дополнительные данные

ZLDV_Product remark [AGGR]	Temperature range for reliable switch-off: -20...+80 °C
Утилизация по WEEE	Да
ZLDV_Mercury content [AGGR]	0.0 mg

Возможности / мощности

ZLDV_Dimmable [AGGR]	No
----------------------	----

Классификация


ZLDV_Order reference [AGGR]	ST171SAFETY/220
-----------------------------	-----------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-04-2022

Техническое описание продукта

Primary Article Identifier	4050300854106 4050300422855
Declaration No. in SCIP database	In work



SINGLE CIRCUIT

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Данные для заказа

Product code	Описание продукта	Упаковка (цена/шт.)	Размеры (длина x ширина x высота)	Объем	Вес брутто
4050300854106	ST 171 SAFETY DEOS	Shipping carton box 200 шт. Unpacked	227 mm x 98 mm x 227 mm	5.05 дм ³	2020.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Примечание

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany